

Confirmation No. 6441

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	WANG	Examiner:	Le, D.
Serial No.:	10/526,194	Group Art Unit:	2816
Filed:	March 1, 2005	Docket No.:	CH020032
Title:	SELF-CALIBRATION OF CONTINUOUS-TIME FILTERS AND SYSTEMS COMPRISING SUCH FILTERS		

---

**CORRECTED NOTICE OF APPEAL**

Mail Stop Appeal  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Customer No. <b>65913</b>
------------------------------

Dear Sir:

Applicant(s) hereby appeal(s) to the Board of Patent Appeals and Interferences from the final rejection of corrected listing of claims 1-7, 9-10, and 12-17. The original Notice of Appeal incorrectly listed the claim numbers to be appealed.

☒ The fee of \$510.00 was paid at the time of filing the original Notice of Appeal on December 31, 2007. Please charge any additional fees which may be required, except the issue fee, or credit any overpayment to Deposit Account No. 50-0996.

Dated: January 3, 2008

Respectfully submitted,

CRAWFORD MAUNU PLLC  
1270 Northland Drive, Suite 390  
St. Paul, MN 55120  
(651) 686-6633

By: 

Robert J. Crawford  
Reg. No. 32,122